



ICD-9-CM Code	ICD-10-CM Code(s)
474.00	Chronic tonsillitis
ICD-10-CM Codes	<p>J35.01 Chronic tonsillitis</p> <p>* Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (Z77.22)</p> <p>Exposure to tobacco smoke in the perinatal period (P96.81)</p> <p>History of tobacco use (Z87.891)</p> <p>Occupational exposure to environmental tobacco smoke (Z57.31)</p> <p>Tobacco dependence (F17-)</p> <p>Tobacco use (Z72.0)</p>
382.3	Unspecified chronic suppurative otitis media
ICD-10-CM Codes	<p>H66.3x1 Other chronic suppurative otitis media, right ear</p> <p>H66.3x2 Other chronic suppurative otitis media, left ear</p> <p>H66.3x3 Other chronic suppurative otitis media, bilateral</p> <p>H66.3x9 Other chronic suppurative otitis media, unspecified ear</p> <p>* Use additional code for any associated perforated tympanic membrane (H72-)</p> <p>* Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (Z77.22)</p> <p>Exposure to tobacco smoke in the perinatal period (P96.81)</p> <p>History of tobacco use (Z87.891)</p> <p>Occupational exposure to environmental tobacco smoke (Z57.31)</p> <p>Tobacco dependence (F17-)</p> <p>Tobacco use (Z72.0)</p>
474.10	Hypertrophy of tonsils with adenoids
ICD-10-CM Codes	<p>J35.3 Hypertrophy of tonsils with hypertrophy of adenoids</p> <p>* Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (Z77.22)</p> <p>Exposure to tobacco smoke in the perinatal period (P96.81)</p> <p>History of tobacco use (Z87.891)</p> <p>Occupational exposure to environmental tobacco smoke (Z57.31)</p> <p>Tobacco dependence (F17-)</p> <p>Tobacco use (Z72.0)</p>
381.10	Chronic serous otitis media, simple or unspecified
ICD-10-CM Codes	<p>H65.20 Chronic serous otitis media, unspecified ear</p> <p>H65.21 Chronic serous otitis media, right ear</p> <p>H65.22 Chronic serous otitis media, left ear</p> <p>H65.23 Chronic serous otitis media, bilateral</p> <p>* Use additional code for any associated perforated tympanic membrane (H72-)</p> <p>* Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (Z77.22)</p> <p>Exposure to tobacco smoke in the perinatal period (P96.81)</p> <p>History of tobacco use (Z87.891)</p> <p>Occupational exposure to environmental tobacco smoke (Z57.31)</p> <p>Tobacco dependence (F17-)</p> <p>Tobacco use (Z72.0)</p>
470	Deviated nasal septum J34.2 Deviated nasal septum
327.23	Obstructive sleep apnea (adult)(pediatric)
ICD-10-CM Codes	<p>G47.33 Obstructive sleep apnea (adult)(pediatric)</p> <p>** Code also any associated underlying condition</p>

ICD-9-CM Code	ICD-10-CM Code(s)
384.20	Perforation of tympanic membrane, unspecified
ICD-10-CM Codes	<p>H72.90 Unspecified perforation of tympanic membrane, unspecified ear</p> <p>** Code first any associated otitis media (H65-, H66.1-, H66.2-, H66.3-, H66.4-, H66.9-, H67-)</p> <p>H72.91 Unspecified perforation of tympanic membrane, right ear</p> <p>H72.92 Unspecified perforation of tympanic membrane, left ear</p> <p>H72.93 Unspecified perforation of tympanic membrane, bilateral</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>H72.00 Central perforation of tympanic membrane, unspecified ear</p> <p>H72.01 Central perforation of tympanic membrane, right ear</p> <p>H72.02 Central perforation of tympanic membrane, left ear</p> <p>H72.03 Central perforation of tympanic membrane, bilateral</p> <p>H72.10 Attic perforation of tympanic membrane, unspecified ear</p> <p>H72.11 Attic perforation of tympanic membrane, right ear</p> <p>H72.12 Attic perforation of tympanic membrane, left ear</p> <p>H72.13 Attic perforation of tympanic membrane, bilateral</p> <p>H72.2x1 Other marginal perforations of tympanic membrane, right ear</p> <p>H72.2x2 Other marginal perforations of tympanic membrane, left ear</p> <p>H72.2x3 Other marginal perforations of tympanic membrane, bilateral</p> <p>H72.2x9 Other marginal perforations of tympanic membrane, unspecified ear</p> <p>H72.811 Multiple perforations of tympanic membrane, right ear</p> <p>H72.812 Multiple perforations of tympanic membrane, left ear</p> <p>H72.813 Multiple perforations of tympanic membrane, bilateral</p> <p>H72.819 Multiple perforations of tympanic membrane, unspecified ear</p> <p>H72.821 Total perforations of tympanic membrane, right ear</p> <p>H72.822 Total perforations of tympanic membrane, left ear</p> <p>H72.823 Total perforations of tympanic membrane, bilateral</p> <p>H72.829 Total perforations of tympanic membrane, unspecified ear</p>
382.9	Otitis media, unspecified
ICD-10-CM Codes	<p>H66.90 Otitis media, unspecified, unspecified ear</p> <p>* Use additional code for any associated perforated tympanic membrane (H72-)</p> <p>* Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (Z77.22)</p> <p>Exposure to tobacco smoke in the perinatal period (P96.81)</p> <p>History of tobacco use (Z87.891)</p> <p>Occupational exposure to environmental tobacco smoke (Z57.31)</p> <p>Tobacco dependence (F17-)</p> <p>Tobacco use (Z72.0)</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>H66.91 Otitis media, unspecified, right ear</p> <p>H66.92 Otitis media, unspecified, left ear</p> <p>H66.93 Otitis media, unspecified, bilateral</p> <p>** There are more specific codes available for otitis media. These include:</p> <p>H65.00 Acute serous otitis media, unspecified ear</p> <p>H65.01 Acute serous otitis media, right ear</p> <p>H65.02 Acute serous otitis media, left ear</p> <p>H65.03 Acute serous otitis media, bilateral</p> <p>H65.04 Acute serous otitis media, recurrent, right ear</p>



ICD-9-CM Code	ICD-10-CM Code(s)
382.9	Continued
ICD-10-CM Codes (cont.)	<p>H65.05 Acute serous otitis media, recurrent, left ear</p> <p>H65.06 Acute serous otitis media, recurrent, bilateral</p> <p>H65.07 Acute serous otitis media, recurrent, unspecified ear</p> <p>H65.111 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), right ear</p> <p>H65.112 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), left ear</p> <p>H65.113 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), bilateral</p> <p>H65.114 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, right ear</p> <p>H65.115 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, left ear</p> <p>H65.116 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, bilateral</p> <p>H65.117 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, unspecified ear</p> <p>H65.119 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), unspecified ear</p> <p>H65.191 Other acute nonsuppurative otitis media, right ear</p> <p>H65.192 Other acute nonsuppurative otitis media, left ear</p> <p>H65.193 Other acute nonsuppurative otitis media, bilateral</p> <p>H65.194 Other acute nonsuppurative otitis media, recurrent, right ear</p> <p>H65.195 Other acute nonsuppurative otitis media, recurrent, left ear</p> <p>H65.196 Other acute nonsuppurative otitis media, recurrent, bilateral</p> <p>H65.197 Other acute nonsuppurative otitis media, recurrent, unspecified ear</p> <p>H65.199 Other acute nonsuppurative otitis media, unspecified ear</p> <p>H65.20 Chronic serous otitis media, unspecified ear</p> <p>H65.21 Chronic serous otitis media, right ear</p> <p>H65.22 Chronic serous otitis media, left ear</p> <p>H65.23 Chronic serous otitis media, bilateral</p> <p>H65.30 Chronic mucoid otitis media, unspecified ear</p> <p>H65.31 Chronic mucoid otitis media, right ear</p> <p>H65.32 Chronic mucoid otitis media, left ear</p> <p>H65.33 Chronic mucoid otitis media, bilateral</p> <p>H65.411 Chronic allergic otitis media, right ear</p> <p>H65.412 Chronic allergic otitis media, left ear</p> <p>H65.413 Chronic allergic otitis media, bilateral</p> <p>H65.419 Chronic allergic otitis media, unspecified ear</p> <p>H65.491 Other chronic nonsuppurative otitis media, right ear</p> <p>H65.492 Other chronic nonsuppurative otitis media, left ear</p> <p>H65.493 Other chronic nonsuppurative otitis media, bilateral</p> <p>H65.499 Other chronic nonsuppurative otitis media, unspecified ear</p> <p>H65.90 Unspecified nonsuppurative otitis media, unspecified ear</p> <p>H65.91 Unspecified nonsuppurative otitis media, right ear</p> <p>H65.92 Unspecified nonsuppurative otitis media, left ear</p> <p>H65.93 Unspecified nonsuppurative otitis media, bilateral</p> <p>H66.001 Acute suppurative otitis media without spontaneous rupture of ear drum, right ear</p> <p>H66.002 Acute suppurative otitis media without spontaneous rupture of ear drum, left ear</p> <p>H66.003 Acute suppurative otitis media without spontaneous rupture of ear drum, bilateral</p> <p>H66.004 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, right ear</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p>H66.005 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, left ear</p> <p>H66.006 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, bilateral</p> <p>H66.007 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, unspecified ear</p> <p>H66.009 Acute suppurative otitis media without spontaneous rupture of ear drum, unspecified ear</p> <p>H66.011 Acute suppurative otitis media with spontaneous rupture of ear drum, right ear</p> <p>H66.012 Acute suppurative otitis media with spontaneous rupture of ear drum, left ear</p> <p>H66.013 Acute suppurative otitis media with spontaneous rupture of ear drum, bilateral</p> <p>H66.014 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, right ear</p> <p>H66.015 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, left ear</p> <p>H66.016 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, bilateral</p> <p>H66.017 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, unspecified ear</p> <p>H66.019 Acute suppurative otitis media with spontaneous rupture of ear drum, unspecified ear</p> <p>H66.10 Chronic tubotympanic suppurative otitis media, unspecified</p> <p>H66.11 Chronic tubotympanic suppurative otitis media, right ear</p> <p>H66.12 Chronic tubotympanic suppurative otitis media, left ear</p> <p>H66.13 Chronic tubotympanic suppurative otitis media, bilateral</p> <p>H66.20 Chronic atticofacial suppurative otitis media, unspecified ear</p> <p>H66.21 Chronic atticofacial suppurative otitis media, right ear</p> <p>H66.22 Chronic atticofacial suppurative otitis media, left ear</p> <p>H66.23 Chronic atticofacial suppurative otitis media, bilateral</p> <p>H66.3X1 Other chronic suppurative otitis media, right ear</p> <p>H66.3X2 Other chronic suppurative otitis media, left ear</p> <p>H66.3X3 Other chronic suppurative otitis media, bilateral</p> <p>H66.3X9 Other chronic suppurative otitis media, unspecified ear</p> <p>H66.40 Suppurative otitis media, unspecified, unspecified ear</p> <p>H66.41 Suppurative otitis media, unspecified, right ear</p> <p>H66.42 Suppurative otitis media, unspecified, left ear</p> <p>H66.43 Suppurative otitis media, unspecified, bilateral</p> <p>H66.91 Unspecified otitis media, right ear</p> <p>H66.92 Unspecified otitis media, left ear</p> <p>H66.93 Unspecified otitis media, bilateral</p>
474.01	Chronic adenoiditis J35.02 Chronic adenoiditis
381.20	Chronic mucoid otitis media, simple or unspecified
ICD-10-CM Codes	<p>H65.30 Chronic mucoid otitis media, unspecified ear</p> <p>H65.31 Chronic mucoid otitis media, right ear</p> <p>H65.32 Chronic mucoid otitis media, left ear</p> <p>H65.33 Chronic mucoid otitis media, bilateral</p>



ICD-9-CM Code	ICD-10-CM Code(s)	
473.9	Unspecified sinusitis (chronic)	
ICD-10-CM Codes	J32.9 Chronic sinusitis, unspecified * Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: J32.0 Chronic maxillary sinusitis J32.1 Chronic frontal sinusitis J32.2 Chronic ethmoidal sinusitis J32.3 Chronic sphenoidal sinusitis J32.4 Chronic pansinusitis J32.8 Other chronic sinusitis	
784.7	Epistaxis	R04.0 Epistaxis
475	Peritonsillar abscess	J36 Peritonsillar abscess
473.8	Chronic sinusitis, NEC	
ICD-10-CM Codes	J32.8 Other chronic sinusitis * Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: J32.0 Chronic maxillary sinusitis J32.1 Chronic frontal sinusitis J32.2 Chronic ethmoidal sinusitis J32.3 Chronic sphenoidal sinusitis J32.4 Chronic pansinusitis J32.9 Chronic sinusitis, unspecified	
210.2	Benign neoplasm of major salivary glands	
ICD-10-CM Codes	D11.0 Benign neoplasm of parotid gland D11.9 Benign neoplasm of major salivary gland, unspecified D11.7 Benign neoplasm of other major salivary glands	
237.4	Neoplasm of uncertain behavior of other and unspecified endocrine glands	
ICD-10-CM Codes	D44.0 Neoplasm of uncertain behavior of thyroid gland D44.2 Neoplasm of uncertain behavior of parathyroid gland D44.9 Neoplasm of uncertain behavior of unspecified endocrine gland	
239.1	Neoplasm of respiratory system, unspecified nature	D49.1 Neoplasm of unspecified behavior of respiratory system
478.0	Hypertrophy of nasal turbinates	J34.3 Hypertrophy of nasal turbinates

ICD-9-CM Code	ICD-10-CM Code(s)	
173.30	Unspecified malignant neoplasm of skin of other and unspecified parts of face	
ICD-10-CM Codes	C44.30 Malignant neoplasm of skin of unspecified part of face C44.31 Malignant neoplasm of skin of nose C44.39 Malignant neoplasm of skin of other parts of face C44.300 Unspecified malignant neoplasm of skin of unspecified part of face C44.301 Unspecified malignant neoplasm of skin of nose C44.309 Unspecified malignant neoplasm of skin of other parts of face C44.310 Basal cell carcinoma of skin of unspecified part of face C44.311 Basal cell carcinoma of skin of nose C44.319 Basal cell carcinoma of skin of other parts of face C44.320 Squamous cell carcinoma of skin of unspecified parts of face C44.321 Squamous cell carcinoma of skin of nose C44.329 Squamous cell carcinoma of skin of other parts of face C44.390 Other specified malignant neoplasm of skin of unspecified parts of face C44.391 Other specified malignant neoplasm of skin of nose C44.399 Other specified malignant neoplasm of skin of other parts of face	
161.9	Malignant neoplasm of larynx, unspecified	
ICD-10-CM Codes	C32.9 Malignant neoplasm of larynx, unspecified * Use additional code to identify: Alcohol abuse and dependence (F10-) Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: C32.0 Malignant neoplasm of glottis C32.1 Malignant neoplasm of supraglottis C32.2 Malignant neoplasm of subglottis C32.3 Malignant neoplasm of laryngeal cartilage C32.8 Malignant neoplasm of overlapping sites of larynx	
474.12	Hypertrophy of adenoids	J35.2 Hypertrophy of adenoids
239.0	Neoplasm of digestive system, unspecified nature	D49.0 Neoplasm of unspecified behavior of digestive system
235.1	Neoplasm of lip, oral cavity, and pharynx, uncertain behavior	
ICD-10-CM Codes	D37.01 Neoplasm of uncertain behavior of lip D37.02 Neoplasm of uncertain behavior of tongue D37.04 Neoplasm of uncertain behavior of minor salivary glands D37.05 Neoplasm of uncertain behavior of pharynx D37.09 Neoplasm of uncertain behavior of other specified sites of the oral cavity	
784.2	Swelling, mass, or lump in head and neck	
ICD-10-CM Codes	R22.0 Localized swelling, mass and lump, head R22.1 Localized swelling, mass and lump, neck	



ICD-9-CM Code	ICD-10-CM Code(s)
478.5	Other diseases of vocal cords J38.3 Other diseases of vocal cords
706.2	Sebaceous cyst L72.3 Sebaceous cyst
241.0	Nontoxic uninodular goiter E04.1 Nontoxic single thyroid nodule
173.20	Malignant neoplasm of skin of ear and external auditory canal
ICD-10-CM Codes	C44.201 Unspecified malignant neoplasm of skin of unspecified ear and external auricular canal C44.202 Unspecified malignant neoplasm of skin of right ear and external auricular canal C44.209 Unspecified malignant neoplasm of skin of left ear and external auricular canal C44.211 Basal cell carcinoma of skin of unspecified ear and external auricular canal C44.212 Basal cell carcinoma of skin of right ear and external auricular canal C44.219 Basal cell carcinoma of skin of left ear and external auricular canal C44.221 Squamous cell carcinoma of skin of unspecified ear and external auricular canal C44.222 Squamous cell carcinoma of skin of right ear and external auricular canal C44.229 Squamous cell carcinoma of skin of left ear and external auricular canal C44.291 Other specified malignant neoplasm of unspecified ear and external auricular canal C44.292 Other specified malignant neoplasm of skin of right ear and external auricular canal C44.299 Other specified malignant neoplasm of skin of left ear and external auricular canal
474.11	Hypertrophy of tonsils
ICD-10-CM Codes	J35.1 Hypertrophy of tonsils * Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0)
802.0	Fracture of nasal bones, closed
ICD-10-CM Codes	S02.2xxA Fracture of nasal bones, initial encounter for closed fracture S02.2xxD Fracture of nasal bones, subsequent encounter for fracture with routine healing S02.2xxG Fracture of nasal bones, subsequent encounter for fracture with delayed healing S02.2xxK Fracture of nasal bones, subsequent encounter for fracture with nonunion S02.2xxS Fracture of nasal bones, sequela
527.2	Sialoadenitis
ICD-10-CM Codes	K11.20 Sialoadenitis, unspecified K11.21 Acute sialoadenitis K11.22 Acute recurrent sialoadenitis K11.23 Chronic sialoadenitis

ICD-9-CM Code	ICD-10-CM Code(s)
385.30	Cholesteatoma, unspecified
ICD-10-CM Codes	H71.90 Unspecified cholesteatoma, unspecified ear H71.91 Unspecified cholesteatoma, right ear H71.92 Unspecified cholesteatoma, left ear H71.93 Unspecified cholesteatoma, bilateral ** There are more specific code choice selections available in ICD-10-CM. These include: H71.00 Cholesteatoma of attic, unspecified ear H71.01 Cholesteatoma of attic, right ear H71.02 Cholesteatoma of attic, left ear H71.03 Cholesteatoma of attic, bilateral H71.10 Cholesteatoma of tympanum, unspecified ear H71.11 Cholesteatoma of tympanum, right ear H71.12 Cholesteatoma of tympanum, left ear H71.13 Cholesteatoma of tympanum, bilateral H71.20 Cholesteatoma of mastoid, unspecified ear H71.21 Cholesteatoma of mastoid, right ear H71.22 Cholesteatoma of mastoid, left ear H71.23 Cholesteatoma of mastoid, bilateral H60.40 Cholesteatoma of external ear, unspecified ear H60.41 Cholesteatoma of right external ear H60.42 Cholesteatoma of left external ear H60.43 Cholesteatoma of external ear, bilateral
471.8	Other polyp of sinus J33.8 Other polyp of sinus
473.2	Chronic ethmoidal sinusitis
ICD-10-CM Codes	J32.2 Chronic ethmoidal sinusitis * Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0)
530.6	Diverticulum of esophagus, acquired
ICD-10-CM Codes	K22.5 Diverticulum of esophagus, acquired * Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0)
380.21	Cholesteatoma of external ear
ICD-10-CM Codes	H60.40 Cholesteatoma of external ear, unspecified ear H60.41 Cholesteatoma of right external ear H60.42 Cholesteatoma of left external ear H60.43 Cholesteatoma of external ear, bilateral
385.83	Retained foreign body of middle ear
ICD-10-CM Codes	H74.8x1 Other specified disorders of right middle ear and mastoid H74.8x2 Other specified disorders of left middle ear and mastoid H74.8x3 Other specified disorders of middle ear and mastoid, bilateral H74.8x9 Other specified disorders of middle ear and mastoid, unspecified ear



ICD-9-CM Code	ICD-10-CM Code(s)
173.40	Malignant neoplasm of scalp and skin of neck
ICD-10-CM Codes	<p>C44.4 Malignant neoplasm of skin of scalp and neck</p> <p>C44.40 Unspecified malignant neoplasm of skin of scalp and neck</p> <p>C44.41 Basal cell carcinoma of skin of scalp and neck</p> <p>C44.42 Squamous cell carcinoma of skin of scalp and neck</p> <p>C44.49 Other specified malignant neoplasm of skin of scalp and neck</p>
239.7	Neoplasm of endocrine glands and other parts of nervous system, unspecified nature
	D49.7 Neoplasm of unspecified behavior of endocrine glands and other parts of nervous system
473.0	Chronic maxillary sinusitis
	J32.0 Chronic maxillary sinusitis
931	Foreign body in ear
ICD-10-CM Codes	<p>T16.1xxA Foreign body in right ear, initial encounter</p> <p>T16.1xxD Foreign body in right ear, subsequent encounter</p> <p>T16.1xxS Foreign body in right ear, sequela</p> <p>T16.2xxA Foreign body in left ear, initial encounter</p> <p>T16.2xxD Foreign body in left ear, subsequent encounter</p> <p>T16.2xxS Foreign body in left ear, sequela</p> <p>T16.9xxA Foreign body in ear, unspecified ear, initial encounter</p> <p>T16.9xxD Foreign body in ear, unspecified ear, subsequent encounter</p> <p>T16.9xxS Foreign body in ear, unspecified ear, sequela</p>
471.0	Polyp of nasal cavity
ICD-10-CM Codes	<p>J33.0 Polyp of nasal cavity</p> <p>* Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (Z77.22)</p> <p>Exposure to tobacco smoke in the perinatal period (P96.81)</p> <p>History of tobacco use (Z87.891)</p> <p>Occupational exposure to environmental tobacco smoke (Z57.31)</p> <p>Tobacco dependence (F17-)</p> <p>Tobacco use (Z72.0)</p>
478.4	Polyp of vocal cord or larynx
ICD-10-CM Codes	<p>J38.1 Polyp of vocal cord and larynx</p> <p>* Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (Z77.22)</p> <p>Exposure to tobacco smoke in the perinatal period (P96.81)</p> <p>History of tobacco use (Z87.891)</p> <p>Occupational exposure to environmental tobacco smoke (Z57.31)</p> <p>Tobacco dependence (F17-)</p> <p>Tobacco use (Z72.0)</p>
478.26	Cyst of pharynx or nasopharynx
ICD-10-CM Codes	J39.2 Other diseases of pharynx

ICD-9-CM Code	ICD-10-CM Code(s)
193	Malignant neoplasm of thyroid gland
ICD-10-CM Codes	C73 Malignant neoplasm of thyroid gland **Use additional code to identify any functional activity
195.0	Malignant neoplasm of head, face, and neck
	C76.0 Malignant neoplasm of head, face, and neck
141.9	Malignant neoplasm of tongue, unspecified
ICD-10-CM Codes	<p>C02.9 Malignant neoplasm of tongue, unspecified</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>C02.0 Malignant neoplasm of dorsal surface of tongue</p> <p>C02.1 Malignant neoplasm of border of tongue</p> <p>C02.2 Malignant neoplasm of ventral surface of tongue</p> <p>C02.3 Malignant neoplasm of anterior two-thirds of tongue, part unspecified</p> <p>C02.4 Malignant neoplasm of lingual tonsil</p> <p>C02.8 Malignant neoplasm of overlapping sites of tongue</p>
212.1	Benign neoplasm of larynx
	D14.1 Benign neoplasm of larynx
235.0	Neoplasm of uncertain behavior of the major salivary glands
ICD-10-CM Codes	<p>D37.030 Neoplasm of uncertain behavior of the parotid salivary glands</p> <p>D37.031 Neoplasm of uncertain behavior of the sublingual salivary glands</p> <p>D37.032 Neoplasm of uncertain behavior of the submandibular salivary glands</p> <p>D37.039 Neoplasm of uncertain behavior of the major salivary glands, unspecified</p>
787.20	Dysphagia, unspecified
ICD-10-CM Codes	<p>R13.10 Dysphagia, unspecified</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>R13.11 Dysphagia, oral phase</p> <p>R13.12 Dysphagia, oropharyngeal phase</p> <p>R13.13 Dysphagia, pharyngeal phase</p> <p>R13.14 Dysphagia, pharyngoesophageal phase</p> <p>R13.19 Other dysphagia</p>

Fast Forward

to ICD-10



ICD-10