



ICD-9-CM Code	ICD-10-CM Code(s)
250.00	Diabetes mellitus without mention of complications type II or unspecified type, not stated as uncontrolled E11.9 Type 2 diabetes mellitus without complications
401.9	Essential hypertension, unspecified I10 Essential (primary) hypertension
272.4	Other and unspecified hyperlipidemia
ICD-10-CM Codes	E78.4 Other hyperlipidemia E78.5 Hyperlipidemia, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: E78.0 Pure hypercholesterolemia E78.1 Pure hyperglyceridemia E78.2 Mixed hyperlipidemia E78.3 Hyperchylomicronemia E78.6 Lipoprotein deficiency
724.5	Backache, unspecified
ICD-10-CM Codes	M54.9 Dorsalgia, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: M54.89 Other dorsalgia M54.6 Pain in thoracic spine M54.5 Low back pain M53.3 Sacrococcygeal disorders, not elsewhere classified
V70.0	Routine general medical examination at a health care facility
ICD-10-CM Codes	Z00.00 Encounter for general adult medical examination without abnormal findings Z00.01 Encounter for general adult medical examination with abnormal findings ** Use additional code to identify abnormal findings
496	Chronic airway obstruction, not elsewhere classified
ICD-10-CM Codes	J44.9 Chronic obstructive pulmonary disease, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection **Use additional code to identify the infection J44.1 Chronic obstructive pulmonary disease with (acute) exacerbation ** Code also type of asthma, if applicable (J45.-) ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17.-) Tobacco use (Z72.0)
V72.83	Other specified preoperative examination Z01.818 Encounter for other preprocedural examination
427.31	Atrial fibrillation
ICD-10-CM Codes	I48.0 Paroxysmal atrial fibrillation I48.1 Persistent atrial fibrillation I48.2 Chronic atrial fibrillation I48.91 Unspecified atrial fibrillation

ICD-9-CM Code	ICD-10-CM Code(s)
789.00	Abdominal pain, unspecified site
ICD-10-CM Codes	R10.9 Unspecified abdominal pain *There are more specific code choice selections available in ICD-10-CM. These include: R10.0 Acute abdomen R10.10 Upper abdominal pain, unspecified R10.11 Right upper quadrant pain R10.12 Left upper quadrant pain R10.13 Epigastric pain R10.2 Pelvic and perineal pain R10.30 Lower abdominal pain, unspecified R10.31 Right lower quadrant pain R10.32 Left lower quadrant pain R10.33 Periumbilical pain R10.84 Generalized abdominal pain
786.2	Cough R05 Cough
414.00	Coronary atherosclerosis of unspecified type of vessel, native or graft
ICD-10-CM Codes	No map (No ICD-10 code exists for unspecified vessel; native or bypass graft must be indicated)
338.4	Chronic pain syndrome
ICD-10-CM Codes	G89.4 Chronic pain syndrome * Code also related psychological factors associated with pain (F54.42-)
V04.81	Need for prophylactic vaccination and inoculation against influenza virus
ICD-10-CM Codes	Z23 Encounter for immunization **Code first any routine childhood examination
599.0	Urinary tract infection, site not specified
ICD-10-CM Codes	N39.0 Urinary tract infection, site not specified ** Use additional code (B95-B97) to identify infectious agent *There are more specific code choice selections available in ICD-10-CM. These include: N30.00 Acute cystitis without hematuria N30.01 Acute cystitis with hematuria N30.10 Interstitial cystitis chronic without hematuria N30.11 Interstitial cystitis chronic with hematuria N30.20 Other chronic cystitis without hematuria N30.21 Other chronic cystitis with hematuria N30.30 Trigonitis without hematuria N30.31 Trigonitis with hematuria N30.40 Irradiation cystitis without hematuria N30.41 Irradiation cystitis with hematuria N30.80 Other cystitis without hematuria N30.81 Other cystitis with hematuria N30.90 Cystitis, unspecified without hematuria N30.91 Cystitis, unspecified with hematuria N15.9 Renal tubulo-interstitial disease, unspecified N34.1 Nonspecific urethritis N34.2 Other urethritis



ICD-9-CM Code	ICD-10-CM Code(s)
300.00	Anxiety state, unspecified
ICD-10-CM Codes	F41.9 Anxiety disorder, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: F41.1 Generalized anxiety disorder F41.8 Other specified anxiety disorders
311	Depressive disorder, not elsewhere classified
ICD-10-CM Codes	F32.9 Major depressive disorder, single episode, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: F32.0 Major depressive disorder, single episode, mild F32.1 Major depressive disorder, single episode, moderate F32.2 Major depressive disorder, single episode, severe without psychotic features F32.3 Major depressive disorder, single episode, severe with psychotic features F32.4 Major depressive disorder, single episode, in partial remission F32.5 Major depressive disorder, single episode, in full remission F32.8 Other depressive episodes
530.81	Esophageal reflux
ICD-10-CM Codes	K21.9 Gastro-esophageal reflux disease without esophagitis K21.0 Gastro-esophageal reflux disease with esophagitis
729.5	Pain in limb
ICD-10-CM Codes	M79.609 Pain in unspecified limb ** There are more specific code choice selections available in ICD-10-CM. These include: M79.601 Pain in right arm M79.602 Pain in left arm M79.603 Pain in arm, unspecified M79.604 Pain in right leg M79.605 Pain in left leg M79.606 Pain in leg, unspecified M79.621 Pain in right upper arm M79.622 Pain in left upper arm M79.629 Pain in unspecified upper arm M79.631 Pain in right forearm M79.632 Pain in left forearm M79.639 Pain in unspecified forearm M79.641 Pain in right hand M79.642 Pain in left hand M79.643 Pain in unspecified hand M79.644 Pain in right finger(s) M79.645 Pain in left finger(s) M79.646 Pain in unspecified finger(s) M79.651 Pain in right thigh M79.652 Pain in left thigh M79.659 Pain in unspecified thigh M79.661 Pain in right lower leg M79.662 Pain in left lower leg M79.669 Pain in unspecified lower leg M79.671 Pain in right foot M79.672 Pain in left foot M79.673 Pain in unspecified foot M79.674 Pain in right toe(s) M79.675 Pain in left toe(s) M79.676 Pain in unspecified toe(s)

ICD-9-CM Code	ICD-10-CM Code(s)
786.50	Chest pain, unspecified
ICD-10-CM Codes	R07.9 Chest pain, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: R07.1 Chest pain on breathing R07.2 Precordial pain R07.81 Pleurodynia R07.89 Other chest pain
780.79	Other malaise and fatigue
ICD-10-CM Codes	R53.0 Neoplasm (malignant) related fatigue **Code first associated neoplasm R53.1 Weakness R53.81 Other malaise R53.83 Other fatigue G93.3 Postviral fatigue syndrome
465.9	Acute upper respiratory infections of unspecified site
ICD-10-CM Codes	J06.9 Acute upper respiratory infection, unspecified J39.8 Other specified diseases of upper respiratory tract
486	Pneumonia, organism unspecified
ICD-10-CM Codes	J18.9 Pneumonia, unspecified organism ** Code first associated influenza, if applicable (J09.X1 , J10.0- – J11.0-)
466.0	Acute bronchitis
ICD-10-CM Codes	J20.9 Acute bronchitis, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: J20.0 Acute bronchitis due to Mycoplasma pneumoniae J20.1 Acute bronchitis due to Hemophilus influenzae J20.2 Acute bronchitis due to streptococcus J20.3 Acute bronchitis due to coxsackievirus J20.4 Acute bronchitis due to parainfluenza virus J20.5 Acute bronchitis due to respiratory syncytial virus J20.6 Acute bronchitis due to rhinovirus J20.7 Acute bronchitis due to echovirus J20.8 Acute bronchitis due to other specified organisms
719.46	Pain in joint, lower leg
ICD-10-CM Codes	M25.561 Pain in right knee M25.562 Pain in left knee M25.569 Pain in unspecified knee
428.0	Congestive heart failure, unspecified
ICD-10-CM Codes	I50.9 Heart failure, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: I50.1 Left ventricular failure I50.21 Acute systolic (congestive) heart failure I50.22 Chronic systolic (congestive) heart failure I50.23 Acute on chronic systolic (congestive) heart failure I50.30 Unspecified diastolic (congestive) heart failure



ICD-9-CM Code	ICD-10-CM Code(s)
428.0 (cont.)	Congestive heart failure, unspecified
ICD-10-CM Codes (cont.)	<p>I50.31 Acute diastolic (congestive) heart failure I50.32 Chronic diastolic (congestive) heart failure I50.33 Acute on chronic diastolic (congestive) heart failure I50.40 Unspecified combined systolic (congestive) and diastolic (congestive) heart failure I50.41 Acute combined systolic (congestive) and diastolic (congestive) heart failure I50.42 Chronic combined systolic (congestive) and diastolic (congestive) heart failure I50.43 Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure</p> <p>**Code first: heart failure complicating abortion or ectopic or molar pregnancy (O00-O07, O08.8) heart failure following surgery (I97.13-) heart failure due to hypertension (I11.0) heart failure due to hypertension with chronic kidney disease (I13-) obstetric surgery and procedures (O75.4) rheumatic heart failure (I09.81)</p>
780.4	Dizziness and giddiness R42 Dizziness and giddiness
461.9	Acute sinusitis, unspecified
ICD-10-CM Codes	<p>J01.90 Acute sinusitis, unspecified **Use additional code (B95-B97) to identify infectious agent</p> <p>* There are more specific code choice selections available in ICD-10-CM. These include: J01.00 Acute maxillary sinusitis, unspecified J01.10 Acute frontal sinusitis, unspecified J01.20 Acute ethmoidal sinusitis, unspecified J01.30 Acute sphenoidal sinusitis, unspecified J01.40 Acute pansinusitis, unspecified J01.80 Other acute sinusitis</p>
782.3	Edema
ICD-10-CM Codes	<p>R60.0 Localized edema R60.1 Generalized edema R60.9 Edema, unspecified</p>
477.9	Allergic rhinitis, cause unspecified
ICD-10-CM Codes	<p>J30.9 Allergic rhinitis, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: J30.0 Vasomotor rhinitis J30.1 Allergic rhinitis due to pollen J30.2 Other seasonal allergic rhinitis J30.5 Allergic rhinitis due to food J30.81 Allergic rhinitis due to animal (cat) (dog) hair and dander J30.89 Other allergic rhinitis</p>
719.41	Pain in joint, shoulder region
ICD-10-CM Codes	<p>M25.511 Pain in right shoulder M25.512 Pain in left shoulder M25.519 Pain in unspecified shoulder</p>
784.0	Headache R51 Headache

ICD-9-CM Code	ICD-10-CM Code(s)
380.4	Impacted cerumen
ICD-10-CM Codes	<p>H61.21 Impacted cerumen, right ear H61.22 Impacted cerumen, left ear H61.23 Impacted cerumen, bilateral H61.20 Impacted cerumen, unspecified ear</p>
462	Acute pharyngitis
ICD-10-CM Codes	<p>J02.8 Acute pharyngitis due to other specified organisms ** Use additional code (B95-B97) to identify infectious agent J02.0 Streptococcal pharyngitis J02.9 Acute pharyngitis, unspecified</p>
723.1	Cervicalgia M54.2 Cervicalgia
285.9	Anemia, unspecified
ICD-10-CM Codes	<p>D64.9 Anemia, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: D64.0 Hereditary sideroblastic anemia D64.1 Secondary sideroblastic anemia due to disease ** Code first underlying disease D64.2 Secondary sideroblastic anemia due to drugs and toxins ** Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) D64.3 Other sideroblastic anemias (anemia is plural in code descriptor) D64.81 Anemia due to antineoplastic chemotherapy D64.89 Other specified anemias</p>
782.1	Rash and other non-specific skin eruption R21 Rash and other nonspecific skin eruption
787.91	Diarrhea R19.7 Diarrhea, unspecified
493.90	Asthma, unspecified
ICD-10-CM Codes	<p>J45.909 Unspecified asthma, uncomplicated **Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include: J45.20 Mild intermittent asthma, uncomplicated J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 Mild intermittent asthma with status asthmaticus J45.30 Mild persistent asthma, uncomplicated J45.31 Mild persistent asthma with (acute) exacerbation J45.32 Mild persistent asthma with status asthmaticus J45.40 Moderate persistent asthma, uncomplicated J45.41 Moderate persistent asthma with (acute) exacerbation J45.42 Moderate persistent asthma with status asthmaticus J45.50 Severe persistent asthma, uncomplicated</p>



ICD-9-CM Code	ICD-10-CM Code(s)
493.90	Asthma, unspecified ... (cont.)
ICD-10-CM Codes (cont.)	<p>J45.51 Severe persistent asthma with (acute) exacerbation J45.52 Severe persistent asthma with status asthmaticus J45.901 Unspecified asthma with (acute) exacerbation J45.902 Unspecified asthma with status asthmaticus J45.990 Exercise induced bronchospasm J45.991 Cough variant asthma J45.998 Other asthma</p>
490	Bronchitis, not specified as acute or chronic
ICD-10-CM Codes	<p>J40 Bronchitis, not specified as acute or chronic ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17.-) Tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: J20.0 Acute bronchitis due to Mycoplasma pneumoniae J20.1 Acute bronchitis due to Hemophilus influenzae J20.2 Acute bronchitis due to streptococcus J20.3 Acute bronchitis due to coxsackievirus J20.4 Acute bronchitis due to parainfluenza virus J20.5 Acute bronchitis due to respiratory syncytial virus J20.6 Acute bronchitis due to rhinovirus J20.7 Acute bronchitis due to echovirus J20.8 Acute bronchitis due to other specified organisms J20.9 Acute bronchitis, unspecified J41.0 Simple chronic bronchitis J41.1 Mucopurulent chronic bronchitis J41.8 Mixed simple and mucopurulent chronic bronchitis J42 Unspecified chronic bronchitis</p>
493.00	Extrinsic asthma, unspecified
ICD-10-CM Codes	<p>J45.901 Unspecified asthma with (acute) exacerbation J45.902 Unspecified asthma with status asthmaticus J45.909 Unspecified asthma, uncomplicated **Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>

ICD-9-CM Code	ICD-10-CM Code(s)	
244.9	Unspecified hypothyroidism	
ICD-10-CM Codes	<p>E03.9 Hypothyroidism, unspecified * There are more specific code choice selections available ICD-10-CM. These include: E03.0 Congenital hypothyroidism with diffuse goiter E03.1 Congenital hypothyroidism without goiter E03.2 Hypothyroidism due to medicaments and other exogenous substances ** Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) E03.3 Postinfectious hypothyroidism E03.4 Atrophy of thyroid (acquired) E03.5 Myxedema coma E03.8 Other specified hypothyroidism</p>	
788.1	Dysuria	R30.0 Dysuria
786.05	Shortness of breath	R06.02 Shortness of breath
309.9	Unspecified adjustment reaction	
ICD-10-CM Codes	<p>F43.20 Adjustment disorder, unspecified * There are more specific code choice selections available ICD-10-CM. These include: F43.21 Adjustment disorder with depressed mood F43.22 Adjustment disorder with anxiety F43.23 Adjustment disorder with mixed anxiety and depressed mood F43.24 Adjustment disorder with disturbance of conduct F43.25 Adjustment disorder with mixed disturbance of emotions and conduct F43.29 Adjustment disorder with other symptoms</p>	
719.45	Pain in joint, pelvic region and thigh	
ICD-10-CM Codes	<p>M25.551 Pain in right hip M25.552 Pain in left hip M25.559 Pain in unspecified hip</p>	
786.09	Other symptoms involving respiratory system and other chest symptoms	
ICD-10-CM Codes	<p>R06.83 Snoring R06.00 Dyspnea, unspecified R06.3 Periodic breathing R06.4 Hyperventilation R06.89 Other abnormalities of breathing</p>	



ICD-9-CM Code	ICD-10-CM Code(s)
692.9	Contact dermatitis and other eczema, unspecified cause
ICD-10-CM Codes	<p>L25.9 Unspecified contact dermatitis, unspecified nature ** Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) L30.9 Dermatitis, unspecified</p> <p>* There are more specific code choice selections available ICD-10-CM. These include: L25.0 Unspecified contact dermatitis due to cosmetics L25.1 Unspecified contact dermatitis due to drugs in contact with skin L25.2 Unspecified contact dermatitis due to dyes L25.3 Unspecified contact dermatitis due to other chemical products L25.4 Unspecified contact dermatitis due to food in contact with skin L25.5 Unspecified contact dermatitis due to plants, except food L25.8 Unspecified contact dermatitis due to other agents</p> <p>** Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</p>

ICD-9-CM Code	ICD-10-CM Code(s)
724.2	Lumbago M54.5 Low back pain
682.6	Cellulitis and abscess leg, except foot
ICD-10-CM Codes	<p>L03.115 Cellulitis of right lower limb L03.116 Cellulitis of left lower limb L03.119 Cellulitis of unspecified part of limb L03.125 Acute lymphangitis of right lower limb L03.126 Acute lymphangitis of left lower limb L03.129 Acute lymphangitis of unspecified part of limb</p>
455.5	External hemorrhoids with complication NEC
ICD-10-CM Codes	<p>K64.4 Residual hemorrhoidal skin tags K64.5 Perianal venous thrombosis</p>

Fast Forward
to ICD-10



Fast Forward

to ICD-10

