



| ICD-9-CM Code | ICD-10-CM Code(s) |
|-----------------|--|
| 327.23 | Obstructive sleep apnea (adult)(pediatric) G47.33 Obstructive sleep apnea (adult)(pediatric) |
| 780.39 | Other convulsions |
| ICD-10-CM codes | R56.9 Unspecified convulsions There are additional code choice selections in ICD-10-CM. They are: R56.00 Simple febrile convulsions R56.01 Complex febrile convulsions R56.1 Post traumatic seizures |
| 340 | Multiple sclerosis G35 Multiple sclerosis |
| 332.0 | Paralysis agitans |
| ICD-10-CM codes | G20 Parkinson's disease G21.4 Vascular Parkinsonism |
| 354.0 | Carpal tunnel syndrome |
| ICD-10-CM codes | G56.00 Carpal tunnel syndrome, unspecified upper limb G56.01 Carpal tunnel syndrome, right upper limb G56.02 Carpal tunnel syndrome, left upper limb |
| 782.0 | Disturbance of skin sensation |
| ICD-10-CM codes | R20.0 Anesthesia of skin R20.1 Hypoesthesia of skin R20.2 Paresthesia of skin R20.3 Hyperesthesia R20.8 Other disturbances of skin R20.9 Unspecified disturbances of skin sensation |
| 345.41 | Localized-related (focal)(partial) epilepsy and epileptic syndromes with complex partial seizures, with intractable epilepsy |
| ICD-10-CM codes | Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G40.211 Localized-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, with status epilepticus G40.219 Localized-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus |
| 356.4 | Idiopathic progressive polyneuropathy G60.3 Idiopathic progressive polyneuropathy |
| 724.4 | Thoracic or lumbosacral neuritis or radiculitis, unspecified |
| ICD-10-CM codes | M51.14 Intervertebral disc disorders with radiculopathy, thoracic region M51.15 Intervertebral disc disorders with radiculopathy, thoracolumbar region M51.16 Intervertebral disc disorders with radiculopathy, lumbar region M51.17 Intervertebral disc disorders with radiculopathy, lumbosacral region M54.14 Radiculopathy, thoracic region M54.15 Radiculopathy, thoracolumbar region M54.16 Radiculopathy, lumbar region M54.17 Radiculopathy, lumbosacral region |

| ICD-9-CM Code | ICD-10-CM Code(s) |
|-----------------|---|
| 345.40 | Localization-related (focal)(partial) epilepsy and epileptic syndromes, with complex partial seizures, without mention of intractable epilepsy |
| ICD-10-CM codes | Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G40.201 Localization-related (focal)(partial) epilepsy and epileptic syndromes with complex partial seizures, not intractable, with status epilepticus G40.209 Localization-related (focal)(partial) epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus |
| 786.09 | Respiratory abnormality other |
| ICD-10-CM codes | R06.89 Other abnormalities of breathing There are additional code choice selections in ICD-10-CM. They are: R06.00 Dyspnea, unspecified R06.01 Orthopnea R06.02 Shortness of breath R06.09 Other forms of dyspnea R06.1 Stridor R06.2 Wheezing R06.3 Periodic breathing R06.4 Hyperventilation R06.5 Mouth breathing R06.6 Hiccough R06.7 Sneezing R06.81 Apnea, not elsewhere classified R06.82 Tachypnea, not elsewhere classified R06.83 Snoring |
| 335.20 | Amyotrophic lateral sclerosis G12.21 Amyotrophic lateral sclerosis |
| 345.10 | Generalized convulsive epilepsy without mention of intractable epilepsy |
| ICD-10-CM codes | Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. * Code also MERRF syndrome, if applicable (E88.42) G40.301 Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus G40.309 Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus |
| 354.2 | Lesion of ulnar nerve |
| ICD-10-CM codes | G56.20 Lesion of ulnar nerve, unspecified upper limb G56.21 Lesion of ulnar nerve, right upper limb G56.22 Lesion of ulnar nerve, left upper limb |
| 333.1 | Essential and other specified forms of tremor |
| ICD-10-CM codes | G25.0 Essential tremor G25.1 Drug-induced tremor * Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) G25.2 Other specified forms of tremor |



| ICD-9-CM Code | ICD-10-CM Code(s) |
|-----------------|---|
| 723.4 | Brachial neuritis or radiculitis, NOS |
| ICD-10-CM codes | <p>M50.10 Cervical disc disorder with radiculopathy, unspecified cervical region</p> <p>M50.11 Cervical disc disorder with radiculopathy, occipito-atlanto-axial region</p> <p>M50.12 Cervical disc disorder with radiculopathy, mid-cervical region</p> <p>M50.13 Cervical disc disorder with radiculopathy, cervicothoracic region</p> <p>M54.11 Radiculopathy, occipito-atlanto-axial region</p> <p>M54.12 Radiculopathy, cervical region</p> <p>M54.13 Radiculopathy, cervicothoracic region</p> |
| 781.2 | Abnormality of gait |
| ICD-10-CM codes | <p>R26.9 Unspecified abnormalities of gait and mobility There are additional code choices available in ICD-10-CM. They are:</p> <p>R26.0 Ataxic gait</p> <p>R26.1 Paralytic gait</p> <p>R26.2 Difficulty in walking, not elsewhere classified</p> <p>R26.81 Unsteadiness on feet</p> <p>R26.89 Other abnormalities of gait and mobility</p> |
| 333.0 | Other degenerative diseases of the basal ganglia |
| ICD-10-CM codes | <p>G23.9 Degenerative disease of basal ganglia, unspecified There are additional code choices in ICD-10-CM. They are:</p> <p>G23.0 Hallervorden-Spatz disease</p> <p>G23.1 Progressive supra nuclear ophthalmoplegia [Steele-Richardson-Olszewski]</p> <p>G23.2 Striatonigral degeneration</p> <p>G23.8 Other specified degenerative diseases of basal ganglia</p> <p>G90.3 Multi-system degeneration of the autonomic nervous system</p> |
| 345.11 | Generalized convulsive epilepsy with intractable epilepsy |
| ICD-10-CM codes | <p>Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. * Code also MERRF syndrome, if applicable (E88.42)</p> <p>G40.311 Generalized idiopathic epilepsy and epileptic syndromes, intractable with status epilepticus</p> <p>G40.319 Generalized idiopathic epilepsy and epileptic syndromes, intractable without status epilepticus</p> |
| 333.83 | Spasmodic torticollis |
| | G24.3 Spasmodic torticollis |
| 356.9 | Unspecified idiopathic peripheral neuropathy |
| ICD-10-CM codes | <p>G60.9 Hereditary and idiopathic neuropathy, unspecified There are additional code choice selections in ICD-10-CM. They are:</p> <p>G60.0 Hereditary motor and sensory neuropathy</p> <p>G60.1 Refsum's disease</p> <p>G60.2 Neuropathy in association with hereditary ataxia</p> <p>G60.3 Idiopathic progressive neuropathy</p> <p>G60.8 Other hereditary and idiopathic neuropathies</p> |

| ICD-9-CM Code | ICD-10-CM Code(s) |
|-----------------|--|
| 784.0 | Headache |
| ICD-10-CM codes | <p>R51 Headache</p> <p>G44.1 Vascular headache, not elsewhere classified</p> |
| 358.00 | Myasthenia gravis without (acute) exacerbation |
| | G70.00 Myasthenia gravis without (acute) exacerbation |
| 729.5 | Pain in limb |
| ICD-10-CM codes | <p>M79.609 Pain in unspecified limb There are additional code choice selections available in ICD-10-CM. They are:</p> <p>M79.601 Pain in right arm</p> <p>M79.602 Pain in left arm</p> <p>M79.603 Pain in arm, unspecified</p> <p>M79.604 Pain in right leg</p> <p>M79.605 Pain in left leg</p> <p>M79.606 Pain in leg, unspecified</p> <p>M79.621 Pain in right upper arm</p> <p>M79.622 Pain in left upper arm</p> <p>M79.629 Pain in unspecified upper arm</p> <p>M79.631 Pain in right forearm</p> <p>M79.632 Pain in left forearm</p> <p>M79.639 Pain in unspecified forearm</p> <p>M79.641 Pain in right hand</p> <p>M79.642 Pain in left hand</p> <p>M79.643 Pain in unspecified hand</p> <p>M79.644 Pain in right finger(s)</p> <p>M79.645 Pain in left finger(s)</p> <p>M79.646 Pain in unspecified finger(s)</p> <p>M79.651 Pain in right thigh</p> <p>M79.652 Pain in left thigh</p> <p>M79.659 Pain in unspecified thigh</p> <p>M79.661 Pain in right lower leg</p> <p>M79.662 Pain in left lower leg</p> <p>M79.669 Pain in unspecified lower leg</p> <p>M79.671 Pain in right foot</p> <p>M79.672 Pain in left foot</p> <p>M79.673 Pain in unspecified foot</p> <p>M79.674 Pain in right toe(s)</p> <p>M79.675 Pain in left toe(s)</p> <p>M79.679 Pain in unspecified toes(s)</p> |
| 327.10 | Organic hypersomnia, unspecified |
| ICD-10-CM codes | <p>G47.10 Hypersomnia, unspecified There are additional code choice selections in ICD-10-CM. They are:</p> <p>G47.11 Idiopathic hypersomnia with long sleep time</p> <p>G47.12 Idiopathic hypersomnia without long sleep time</p> <p>G47.13 Recurrent hypersomnia</p> <p>G47.14 Hypersomnia due to medical condition * Code also associated medical condition</p> <p>G47.19 Other hypersomnia</p> |



| ICD-9-CM Code | ICD-10-CM Code(s) |
|-----------------|--|
| 346.11 | Migraine without aura, with intractable migraine, so stated, without mention of status migrainosus |
| ICD-10-CM codes | Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G43.019 Migraine without aura, intractable, without status migrainosus |
| 345.90 | Epilepsy, unspecified, without mention of intractable epilepsy |
| ICD-10-CM codes | Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G40.901 Epilepsy, unspecified, not intractable, with status epilepticus G40.909 Epilepsy, unspecified, not intractable, without status epilepticus |
| 780.4 | Dizziness and giddiness |
| | R42 Dizziness and giddiness |
| V12.54 | Personal history of transient ischemic attack (TIA), and cerebral infarction without residual deficits |
| | Z86.73 Personal history of transient ischemic attack (TIA) and cerebral infarction without residual deficits |
| 346.01 | Migraine with aura, with intractable migraine, so stated, without mention of status migrainosus |
| ICD-10-CM codes | Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled mention of status migrainosus. G43.119 Migraine with aura, intractable, without status migrainosus |
| 781.0 | Abnormal involuntary movements |
| ICD-10-CM codes | R25.0 Abnormal head movements R25.1 Tremor, unspecified R25.2 Cramp and spasm R25.3 Fasciculation R25.8 Other abnormal involuntary movements R25.9 Unspecified abnormal involuntary movements |

| ICD-9-CM Code | ICD-10-CM Code(s) |
|-----------------|---|
| 357.9 | Unspecified inflammatory and toxic neuropathies |
| ICD-10-CM codes | G61.9 Inflammatory polyneuropathy, unspecified There are additional code choice selections in ICD-10-CM. They are: G61.0 Guillain-Barre syndrome G61.1 Serum neuropathy * Use additional code for adverse effect, if applicable, to identify serum (T50.-) G61.81 Chronic inflammatory demyelinating polyneuritis G61.89 Other inflammatory polyneuropathies G61.9 Inflammatory polyneuropathy, unspecified G62.0 Drug-induced polyneuropathy ** Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) G62.1 Alcoholic polyneuropathy G62.2 Polyneuropathy due to other toxic agents * Code first (T51-T65) to identify toxic agent G62.81 Critical illness polyneuropathy G62.82 Radiation-induced polyneuropathy *** Use additional external cause code (W88-W90, X39.0-) to identify cause G62.89 Other specified polyneuropathy G62.9 Polyneuropathy, unspecified |
| 724.2 | Lumbago |
| | M54.5 Low back pain |
| 780.93 | Memory loss |
| ICD-10-CM codes | R41.3 Other amnesia There are additional code choice selections in ICD-10-CM. They are: R41.1 Antegrade amnesia R41.2 Retrograde amnesia |
| 435.9 | Unspecified transient cerebral ischemia |
| ICD-10-CM codes | G45.9 Transient cerebral ischemic attack, unspecified There are additional code choice selections in ICD-10-CM. They are: G45.0 Vertebral-basilar artery syndrome G45.1 Carotid artery syndrome (hemispheric) G45.2 Multiple and bilateral precerebral artery syndromes G45.3 Amaurosis fugax G45.4 Transient global amnesia G45.8 Other Transient cerebral ischemic attacks and related syndromes |
| 780.2 | Syncope and collapse |
| | R55 Syncope and collapse |
| 346.10 | Migraine without aura, without mention of intractable migraine, without mention of status migrainosus |
| ICD-10-CM codes | Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G43.009 Migraine without aura, not intractable, without status migrainosus |



| ICD-9-CM Code | ICD-10-CM Code(s) | |
|-----------------|---|---|
| 438.89 | Other late effects of cerebrovascular disease | |
| ICD-10-CM codes | <p>169.998 Other sequelae following unspecified cerebrovascular disease</p> <p>169.898 Other sequelae of other cerebrovascular disease There are additional code choice selections in ICD-10-CM. They are:</p> <p>169.098 Other sequelae following nontraumatic subarachnoid hemorrhage</p> <p>169.198 Other sequelae of nontraumatic intracerebral hemorrhage</p> <p>169.298 Other sequelae of other nontraumatic intracranial hemorrhage</p> <p>169.398 Other sequelae of cerebral infarction * Use additional code to identify the sequelae for the above ICD-10-CM codes</p> <p>169.890 Apraxia following other cerebrovascular disease</p> <p>169.891 Dysphagia following other cerebrovascular disease ** Use additional code to identify the type of dysphagia, if known (R13.1-)</p> <p>169.892 Facial weakness following other cerebrovascular disease</p> <p>169.893 Ataxia following other cerebrovascular disease</p> | |
| 347.00 | Narcolepsy without cataplexy | G47.419 Narcolepsy without cataplexy |
| 780.79 | Other malaise and fatigue | |
| ICD-10-CM codes | <p>R53.81 Other malaise</p> <p>R53.83 Other fatigue There are additional code choice selections in ICD-10-CM. They are:</p> <p>R53.82 Chronic fatigue, unspecified</p> <p>G93.3 Postviral fatigue syndrome</p> <p>R53.0 Neoplastic (malignant) related fatigue * Code first associated neoplasm</p> <p>R53.1 Weakness</p> | |
| 377.30 | Optic neuritis, unspecified | |
| ICD-10-CM codes | <p>H46.9 Unspecified optic neuritis There are additional code selections in ICD-10-CM. They are:</p> <p>H46.00 Optic papillitis, unspecified eye</p> <p>H46.01 Optic papillitis, right eye</p> <p>H46.02 Optic papillitis, left eye</p> <p>H46.03 Optic papillitis, bilateral</p> <p>H46.10 Retrobulbar neuritis, unspecified eye</p> <p>H46.11 Retrobulbar neuritis, right eye</p> <p>H46.12 Retrobulbar neuritis, left eye</p> <p>H46.13 Retrobulbar neuritis, bilateral</p> <p>H46.2 Nutritional optic neuropathy</p> <p>H46.3 Toxic optic neuropathy</p> <p>H46.8 Other optic neuritis</p> | |
| 357.81 | Chronic inflammatory demyelinating polyneuritis | G61.81 Chronic inflammatory demyelinating polyneuritis |

| ICD-9-CM Code | ICD-10-CM Code(s) | |
|-----------------|--|---|
| 327.00 | Organic insomnia, unspecified | |
| ICD-10-CM codes | <p>G47.00 Insomnia, unspecified There are additional code selections in ICD-10-CM. They are:</p> <p>G47.01 Insomnia due to medical condition</p> <p>G47.09 Other insomnia</p> | |
| 345.51 | Localization-related (focal)(partial) epilepsy and epileptic syndromes with simple partial seizures, with intractable epilepsy | |
| ICD-10-CM codes | <p>Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled.</p> <p>G40.011 Localization-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, with status epilepticus</p> <p>G40.019 Localization-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, without status epilepticus</p> <p>G40.111 Localization-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, with status epilepticus</p> <p>G40.119 Localization-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, without status epilepticus</p> | |
| 346.00 | Migraine with aura, without mention of intractable migraine, without mention of status migrainosus | |
| ICD-10-CM codes | <p>Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled.</p> <p>G43.109 Migraine with aura, not intractable, without status migrainosus</p> | |
| 346.90 | Migraine unspecified, without mention of intractable migraine, without mention of status migrainosus | |
| ICD-10-CM codes | <p>Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled.</p> <p>G43.909 Migraine, unspecified, not intractable, without status migrainosus</p> | |
| 307.42 | Persistent disorder of initiating or maintaining | |
| ICD-10-CM codes | <p>G47.01 Insomnia due to medical condition * Code also associated medical condition</p> <p>G47.00 Insomnia, unspecified</p> <p>G47.09 Other insomnia ** There are additional code selections in ICD-10-CM. They are:</p> <p>F51.01 Primary insomnia</p> <p>F51.02 Adjustment insomnia</p> <p>F51.03 Paradoxical insomnia</p> <p>F51.04 Psychophysiological insomnia</p> <p>F51.09 Other insomnia not due to a substance or known physiological condition</p> | |
| 333.81 | Blepharospasm | G24.5 Blepharospasm |
| 331.82 | Dementia with Lewy bodies | G31.83 Dementia with Lewy bodies |
| 723.1 | Cervicalgia | M54.2 Cervicalgia |