



ICD-9-CM Code	ICD-10-CM Code(s)
272.4	Other and unspecified hyperlipidemia
ICD-10-CM Codes	<p>E78.4 Other hyperlipidemia E78.5 Hyperlipidemia, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: E78.0 Pure hypercholesterolemia E78.1 Pure hyperglyceridemia E78.2 Mixed hyperlipidemia E78.3 Hyperchylomicronemia E78.6 Lipoprotein deficiency</p>
V70.0	Routine general medical examination at a health care facility
ICD-10-CM Codes	<p>Z00.00 Encounter for general adult medical examination without abnormal findings Z00.01 Encounter for general adult medical examination with abnormal findings ** Use additional code to identify abnormal findings</p>
250.00	Diabetes mellitus without mention of complications type II or unspecified type, not stated as uncontrolled
	E11.9 Type 2 diabetes mellitus without complications
V72.31	Routine gynecological exam
ICD-10-CM Codes	<p>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings * Use additional code to identify abnormal findings Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings Instructional note under codes should be as follows: ** Use additional code: -for screening for human papillomavirus, if applicable (Z11.51) -for screening vaginal Pap smear, if applicable (Z12.72) -to identify acquired absence of uterus, if applicable (Z90.71-)</p>
599.0	Urinary tract infection, site not specified
ICD-10-CM Codes	<p>N39.0 Urinary tract infection, site not specified ** Use additional code (B95-B97) to identify infectious agent * There are more specific code choice selections available in ICD-10-CM. These include: N30.00 Acute cystitis without hematuria N30.01 Acute cystitis with hematuria N30.10 Interstitial cystitis chronic without hematuria N30.11 Interstitial cystitis chronic with hematuria N30.20 Other chronic cystitis without hematuria N30.21 Other chronic cystitis with hematuria N30.30 Trigonitis without hematuria N30.31 Trigonitis with hematuria N30.40 Irradiation cystitis without hematuria N30.41 Irradiation cystitis with hematuria N30.80 Other cystitis without hematuria N30.81 Other cystitis with hematuria N30.90 Cystitis, unspecified without hematuria N30.91 Cystitis, unspecified with hematuria N15.9 Renal tubulo-interstitial disease, unspecified N34.1 Nonspecific urethritis N34.2 Other urethritis</p>

ICD-9-CM Code	ICD-10-CM Code(s)
401.9	Essential hypertension, unspecified
	I10 Essential (primary) hypertension
401.1	Benign hypertension
	I10 Essential (primary) hypertension
780.79	Other malaise and fatigue
ICD-10-CM Codes	<p>R53.1 Weakness R53.81 Other malaise R53.83 Other fatigue G93.3 Postviral fatigue syndrome R53.0 Neoplastic (malignant) related fatigue * Code first associated neoplasm</p>
285.9	Anemia, unspecified
ICD-10-CM Codes	<p>D64.9 Anemia, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: D64.0 Hereditary sideroblastic anemia D64.1 Secondary sideroblastic anemia due to disease ** Code first underlying disease D64.2 Secondary sideroblastic anemia due to drugs and toxins ** Code first (T36-T65) to identify drug or toxin ** Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) * Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) D64.3 Other sideroblastic anemia D64.81 Anemia due to antineoplastic chemotherapy D64.89 Other specified anemias</p>
V22.1	Supervision other normal pregnancy
ICD-10-CM Codes	<p>Z34.80 Encounter for supervision of other normal pregnancy, unspecified trimester Z34.81 Encounter for supervision of other normal pregnancy, first trimester Z34.82 Encounter for supervision of other normal pregnancy, second trimester Z34.83 Encounter for supervision of other normal pregnancy, third trimester</p>
V20.2	Routine infant or child health check
ICD-10-CM Codes	<p>Z00.121 Encounter for routine child health examination with abnormal findings ** Use additional code to identify abnormal findings Z00.129 Encounter for routine child health examination without abnormal findings</p>
272.0	Pure hypercholesterolemia
	E78.0 Pure hypercholesterolemia
V22.2	Pregnant state, incidental
	Z33.1 Pregnant state, incidental
V76.2	Special screening examination for malignant neoplasm of cervix
	Z12.4 Encounter for screening for malignant neoplasm of cervix



ICD-9-CM Code | **ICD-10-CM Code(s)**

V58.69	Long-term (current) use of other medications	
ICD-10-CM Codes	Z79.891 Long-term (current) use of opiate analgesic Z79.899 Other long term (current) drug therapy	
272.2	Mixed hyperlipidemia	E78.2 Mixed hyperlipidemia
616.10	Vaginitis and vulvovaginitis, unspecified	
ICD-10-CM Codes	N76.0 Acute vaginitis ** Use additional code (B95-B97), to identify infectious agent There are other codes from this subcategory to describe vaginitis: N76.1 Subacute and chronic vaginitis N76.2 Acute vulvitis N76.3 Subacute and chronic vulvitis N76.89 Other specified inflammation of vagina and vulva	
V74.5	Screening examination for venereal disease	Z11.3 Encounter for screening for infections with a pre-dominantly sexual mode of transmission
V72.60	Laboratory examination, unspecified	
ICD-10-CM Codes	Z00.00 Encounter for general adult medical examination without abnormal findings Z00.01 Encounter for general adult medical examination with abnormal findings	
788.1	Dysuria	R30.0 Dysuria
268.9	Unspecified vitamin D deficiency	E55.9 Vitamin D deficiency, unspecified
427.31	Atrial fibrillation	
ICD-10-CM Codes	I48.0 Paroxysmal atrial fibrillation I48.1 Persistent atrial fibrillation I48.2 Chronic atrial fibrillation I48.91 Unspecified atrial fibrillation	
789.00	Abdominal pain, unspecified site	
ICD-10-CM Codes	R10.9 Unspecified abdominal pain ** There are more specific code choice selections available for abdominal pain. These include: R10.0 Acute abdomen R10.10 Upper abdominal pain, unspecified R10.11 Right upper quadrant pain R10.12 Left upper quadrant pain R10.13 Epigastric pain R10.2 Pelvic and perineal pain R10.30 Lower abdominal pain, unspecified R10.31 Right lower quadrant pain R10.32 Left lower quadrant pain R10.33 Periumbilical pain R10.84 Generalized abdominal pain	
250.02	Diabetes mellitus without mention of complications type II or unspecified type, uncontrolled)	E11.65 Type 2 diabetes mellitus with hyperglycemia
795.01	Papanicolaou smear of cervix with atypical squamous cells of undetermined significance (ASC-US)	R87.610 Atypical squamous cells of undetermined significance on cytologic smear of cervix (ASC-US)

ICD-9-CM Code | **ICD-10-CM Code(s)**

278.00	Obesity, unspecified	
ICD-10-CM Codes	E66.9 Obesity, Unspecified ** Use additional code to identify body mass index (BMI), if known (Z68.-) * There are more specific code choice selections available in ICD-10-CM. These include: E66.09 Other obesity due to excess calories E66.1 Drug-induced obesity E66.8 Other obesity	
462	Acute pharyngitis	
ICD-10-CM Codes	J02.8 Acute pharyngitis due to other specified organisms ** Use additional code (B95-B97) to identify infectious agent J02.0 Streptococcal pharyngitis J02.9 Acute pharyngitis, unspecified	
280.9	Iron deficiency anemia, unspecified	D50.9 Iron deficiency anemia, unspecified
V22.0	Supervision of normal first pregnancy	
ICD-10-CM Codes	Z34.00 Encounter for supervision of normal first pregnancy, unspecified trimester Z34.01 Encounter for supervision of normal first pregnancy, first trimester Z34.02 Encounter for supervision of normal first pregnancy, second trimester Z34.03 Encounter for supervision of normal first pregnancy, third trimester	
V76.44	Special screening for malignant neoplasm of prostate	Z12.5 Encounter for screening for malignant neoplasm of prostate
788.41	Urinary frequency	R35.0 Frequency of micturition
V72.84	Preoperative examination, unspecified	
ICD-10-CM Codes	Z01.812 Encounter for preprocedural laboratory examination Z01.818 Encounter for other preprocedural examination	
790.6	Other abnormal blood chemistry	
ICD-10-CM Codes	R78.89 Finding of other specified substances, not normally found in blood R79.0 Abnormal level of blood mineral R79.89 Other specified abnormal findings of blood chemistry	
600.00	Hypertrophy (benign) of prostate without urinary obstruction and other lower urinary tract symptoms (LUTS)	N40.0 Enlarged prostate without lower urinary tract symptoms
585.3	Chronic kidney disease, Stage III (moderate)	N18.3 Chronic kidney disease, stage 3 (moderate)
V58.61	Long-term (current) use of anticoagulants	Z79.01 Long term (current) use of anticoagulants

ICD-9-CM Code	ICD-10-CM Code(s)	
787.91	Diarrhea	
ICD-10-CM Codes	R19.7 Diarrhea, unspecified K59.1 Functional diarrhea ** There are many combination codes in ICD-10-CM that include diarrhea as a manifestation	
790.93	Elevated prostate specific antigen (PSA)	R97.2 Elevated prostate specific antigen (PSA)
V70.9	Unspecified general medical examination	Z00.8 Encounter for other general examination
V26.31	Testing of female genetic disease carrier status	Z31.430 Encounter of female for testing for genetic disease carrier status for procreative management
V76.51	Special screening for malignant neoplasms of colon	Z12.11 Encounter for screening for malignant neoplasm of colon
595.0	Acute cystitis	
ICD-10-CM Codes	N30.00 Acute cystitis without hematuria N30.01 Acute cystitis with hematuria ** Use additional code (B95-B97) to identify infections agent	
V73.81	Human papillomavirus (HPV)	Z11.51 Encounter for screening for human papillomavirus (HPV)
599.70	Hematuria, unspecified	
ICD-10-CM	R31.9 Hematuria, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: R31.0 Gross Hematuria R31.1 Benign essential microscopic hematuria R31.2 Other microscopic hematuria N02.0 Recurrent and persistent hematuria with minor glomerular abnormality N02.1 Recurrent and persistent hematuria with focal and segmental glomerular lesions N02.2 Recurrent and persistent hematuria with diffuse membranous glomerulonephritis N02.3 Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis N02.4 Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis N02.5 Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis N02.6 Recurrent and persistent hematuria with dense deposit disease N02.7 Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis N02.8 Recurrent and persistent hematuria with other morphologic changes N02.9 Recurrent and persistent hematuria with unspecified morphologic changes	

ICD-9-CM Code	ICD-10-CM Code(s)	
477.9	Allergic rhinitis, cause unspecified	
ICD-10-CM Codes	J30.9 Allergic rhinitis, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: J30.0 Vasomotor rhinitis J30.1 Allergic rhinitis due to pollen J30.2 Other seasonal allergic rhinitis J30.5 Allergic rhinitis due to food J30.81 Allergic rhinitis due to animal (cat) (dog) hair and dander J30.89 Other allergic rhinitis	
627.2	Symptomatic menopausal or female climacteric states	N95.1 Menopausal and female climacteric states
790.29	Other abnormal glucose	R73.09 Other abnormal glucose
V01.6	Contact with or exposure to venereal diseases	Z20.2 Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission
530.81	Esophageal reflux	
ICD-10-CM Codes	K21.9 Gastro-esophageal reflux disease without esophagitis K21.0 Gastro-esophageal reflux disease with esophagitis	
V77.91	Screening for lipid disorders	Z13.220 Encounter for screening for lipid disorders