





ICD-10-CM Code(s)

ICD-9-CM (ICD-9-CM Code(s)			
174.9	Malignant neoplasm of	breast (female), unspecified		
ICD-10-CM Codes	C50.919 Malignant neoplasm of unspecified site of unspecified female breast * Use additional code to identify estrogen receptor status (Z17.0, Z17.1) ** There are more specific code choice selections available in ICD-10-CM. These include: C50.911 Malignant neoplasm of unspecified site of right female breast C50.912 Malignant neoplasm of unspecified site of left female breast C50.921 Malignant neoplasm of unspecified site of right male breast C50.922 Malignant neoplasm of unspecified site of left male breast C50.929 Malignant neoplasm of unspecified site of unspecified male breast			
162.9	Malignant neoplasm of bronchus and lung, unspecified			
ICD-10-CM Codes	unspecified b * Use additional code to exposure to environ exposure to tobacco history of tobacco occupational exponoces (Z57.31) tobacco dependen tobacco use (Z72.0 ** There are more specific D-10-CM. These in C34.91 Malignant neither and the control of the control	 Malignant neoplasm of unspecified part of unspecified bronchus or lung Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17) tobacco use (Z72.0) *There are more specific code choice selections available in ICD-10-CM. These include: Malignant neoplasm of unspecified part of right bronchus or lung Malignant neoplasm of unspecified part of left 		

Fast F	orward
	to ICD-10

202.80	Other lymphomas, unspecified site, extranodal and solid organiste					
ICD-10-CM Codes	C85.80	Other specified types of non-Hodgkin lymphoma, unspecified site				
	C85.89	Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites				
			de choice selections available in			
	C82.50	Diffuse follicle cente	er lymphoma, unspecified site			
	C82.59	Diffuse follicle center lymphoma, extranodal and soli organ sites				
	C84.90	Mature T/NK-cell lymphomas, unspecified, unspecified site				
	C84.99	Mature T/NK-cell lyn and solid organ site	nphomas, unspecified, extranodal s			
	C84.A0	3				
	C84.A9					
	C84.Z0	The state of the s				
	C84.Z9	solid organ sites				
	C85.10					
	C85.19	Unspecified B-cell lymphoma, extranodal and solid organ sites				
	C85.20	Mediastinal (thymic) large B-cell lymphoma, unspeci- fied site				
	C85.29	V				
	C85.90					
	C85.99	, , , , , , , , , , , , , , , , , , , ,				
	C86.4	solid organ sites Blastic NK-cell lymphoma				
	C60.4	biastic inc-cell lymphoma				
289.81	Primary	hypercoagulable state				
ICD-10-CM	D68.51	Activated protein C	resistance			
Codes	D68.52	Prothrombin gene mutation				
	D68.59	3.59 Other primary thrombophilia				
	D68.61					
	D68.62 Lupus anticoagulant syndrome					
157.9	Malignant neoplasm of pancreas, part unspecified					
ICD-10-CM Codes	3,000,000,000	Malignant neoplasm of pancreas, unspecified ditional code to identify: thol use and dependence (F10)				
203.00	Multiple mention remission	myeloma, without of having achieved	C90.00 Multiple myeloma not having achieved remission			





ICD-10 $Top 50 (odes)^{Fast Forward} > 1000 + 1000 \text{ Hematology/Oncology}$ AAPC



ICD-9-CM C	.ode	ICD-10-CM	Lode(s)		
205.00	Acute myeloid leukemia, remission	without men	tion of having achieved		
ICD-10-CM Codes	C92.00 Acute myeloblastic leukemia, not having achieved remission C92.40 Acute promyelocytic leukemia, not having achieve remission C92.50 Acute myelomonocytic leukemia, not having achie remission ** There are more specific code choice selections available in ICD-10-CM. These include: C92.60 Acute myeloid leukemia with 11q23-abnormality nhaving achieved remission C92.A0 Acute myeloid leukemia with multilineage dysplasinot having achieved remission				
V26.33	Genetic counseling	Z31.5	Encounter for genetic counseling		
153.9	Malignant neoplasm of colon, unspecified site	C18.9	Malignant neoplasm of colon, unspecified		
154.1	Malignant neoplasm of rectum	C20	Malignant neoplasm of rectum		
309.28	Adjustment disorder with mixed anxiety and depressed mood	F43.23	Adjustment disorder with mixed anxiety and depressed mood		
185	Malignant neoplasm of prostate	C61	Malignant neoplasm of prostate		
415.19	Pulmonary embolism and infarction, other				
ICD-10-CM Codes	126.99 Other pulmonary embolism without acute cor pulmonale ** There are more specific code choice selections available in ICD-10-CM. These include: 126.09 Other pulmonary embolism with acute cor pulmonale				
172.9	Melanoma of skin, site unspecified				
ICD-10-CM Codes	C43.9 Malignant melanoma of skin, unspecified D03.9 Melanoma in situ, unspecified				
204.10	Chronic, without mentic of having achieved remi sion		Chronic lymphocytic leukemia of B-cell type not having achieved remission		
191.9	Malignant neoplasm of brain, unspecified site	C71.9	Malignant neoplasm of brain, unspecified		
457.0	Postmastectomy lymph edema syndrome	- 197.2	Postmastectomy lymphedema syndrome		
150.9	Malignant neoplasm of esophagus, unspecified site				
ICD-10-CM Codes	C15.9 Malignant neoplasm of esophagus, unspecified * Use additional code to identify: • alcohol abuse or dependence (F10)				
	alconor abase or de				

453.40		unspecified	D64.9	Anemia, unspecified		
	Acute venous embolism and thrombosis of unspecified deep vessels of lower extremity					
CD-10-CM Codes	** There ICD-10	 Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity are are more specific code choice selections available in -10-CM. These include: Acute embolism and thrombosis of unspecified deep veins of right lower extremity Acute embolism and thrombosis of unspecified deep veins of left lower extremity Acute embolism and thrombosis of unspecified deep veins of left lower extremity Acute embolism and thrombosis of unspecified deep veins of lower extremity, bilateral 				
171.9	Malignant neoplasm of connective and other soft tissue, site unspecified					
ICD-10-CM Codes		unspecified ere are more specific code choice selections available in D-10-CM. These include:				
201.90	Hodgkin's disease, unspecified, unspecified site, extranodal and solid organ sites					
ICD-10-CM Codes	C81.90 Hodgkin lymphoma, unspecified, unspecified site C81.99 Hodgkin lymphoma, unspecified, extranodal and solic organ sites					
457.1	Other lyr	mphedema 189.0 Lymphedema, not elsewhere classified				
188.9		nant neoplasm of der, part unspecified C67.9 Malignant neoplasm of bladder, unspecified				
189.0	Malignant neoplasm of kidney, except pelvis					
ICD-10-CM Codes	C64.9 Malignant neoplasm of unspecified kidney, except renal pelvis **There are more specific code choice selections available in ICD-10-CM. These include: C64.1 Malignant neoplasm of right kidney, except renal pelvis C64.2 Malignant neoplasm of left kidney, except renal pelvis					
238.71	Essential	thrombocythemia	D47.3	Essential (hemorrhagic) thrombocythemia		
V58.11	Encount	er for antineoplasti	c chemoth	erapy		







186.9				
	Malignan	nt neoplasm of other	and unspecifie	d testis
ICD-10-CM Codes	C62.10 Malignant neoplasm of unspecified descended testis C62.90 Malignant neoplasm of unspecified testis, unspecified whether descended or undescended * Use additional code to identify any functional activity ** There are more specific code choice selections available in ICD-10-CM. These include: C62.11 Malignant neoplasm of descended right testis C62.12 Malignant neoplasm of descended left testis C62.91 Malignant neoplasm of right testis, unspecified whether descended or undescended C62.92 Malignant neoplasm of left testis, unspecified whether descended or undescended			
280.9	Iron deficiency anemia, unspecified D50.9 Iron deficiency anemia, unspecifi			
151.9	Malignant neoplasm of stomach, unspecified site			
ICD-10-CM Codes	C16.9 Malignant neoplasm of stomach, unspecified * Use additional code to identify: • alcohol abuse and dependence (F10)			
238.75	Myelodysplastic syndrome, unspecified			
ICD-10-CM Codes	D46.9 Myelodysplastic syndrome, unspecified * Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) ** There are more specific code choice selections available in ICD-10-CM. These include: D46.Z Other myelodysplastic syndromes			
	D46.Z	Other myelodysp	lastic syndrom	es
287.31		Other myelodysp		Immune thrombo- cytopenic purpura
287.31 288.00	Immune			Immune thrombo-
	Immune purpura Neutrop D70.9 * Use ad • feve	thrombocytopenio	pecified py associated:	Immune thrombo- cytopenic purpura
288.00	Neutrop D70.9 * Use ad • feve • muc	enia, unspecified Neutropenia, unsditional code for an r (R50.81)	pecified hy associated:	Immune thrombo- cytopenic purpura
288.00 ICD-10-CM Codes	Immune purpura Neutrop 70.9 * Use ad feve muc Other pa Acute ly without	enia, unspecified Neutropenia, unsditional code for an r (R50.81)	pecified hy associated: 3-, K92.81, N7 D61.818 C91.00	Immune thrombocytopenic purpura 6.81) Other pancytopenia Acute lymphoblastic
288.00 ICD-10-CM Codes	Immune purpura Neutrop 70.9 * Use ad feve muc Other pa Acute ly without achieved	enia, unspecified Neutropenia, uns ditional code for an r (R50.81) rositis (J34.81, K12. ancytopenia mphoid leukemia, mention of having	pecified hy associated: 3-, K92.81, N7 D61.818 C91.00	Immune thrombocytopenic purpura 6.81) Other pancytopenia Acute lymphoblastic leukemia not having
288.00 ICD-10-CM Codes 284.19 204.00	Immune purpura Neutrop D70.9 * Use ad · feve · muc Other pa Acute ly without achieved Monocle D47.2 ** There	enia, unspecified Neutropenia, uns ditional code for ar r (R50.81) rositis (J34.81, K12. ancytopenia mphoid leukemia, mention of having d remission onal paraproteinem Monoclonal gam	pecified ny associated: 3-, K92.81, N7 D61.818 C91.00 mopathy code choice selde:	Immune thrombocytopenic purpura 6.81) Other pancytopenia Acute lymphoblastic leukemia not having achieved remission ections available in

ICD-9-CM Code		ICI	ICD-10-CM Code(s)		
146.9	Malignan	t neoplasm of orop	hary	nx, unspe	cified site
ICD-10-CM Codes	C10.9 Malignant neoplasm of oropharynx, unspecified * Use additional code to identify: • alcohol abuse and dependence (f10) • exposure to environmental tobacco smoke (Z77.22) • exposure to tobacco smoke in the perinatal period (P96.81) • history of tobacco use (Z87.891) • occupational exposure to environmental tobacco smoke (Z57.31) • tobacco dependence (F17) • tobacco use (Z72.0)				
238.4	Polycythe	emia vera		D45	Polycythemia vera
155.1	Malignant neoplasm of intrahepatic bile ducts				ıcts
ICD-10-CM Codes	 C22.1 Intrahepatic bile duct carcinoma * Use additional code to identify: • alcohol abuse and dependence (F10) • hepatitis B (B16, B18.0-B18.1) • hepatitis C (B17.1-, B18.2) 				
202.00	Nodular lymphoma, unspecified site, extranodal and solid organ sites			nodal and solid organ	
ICD-10-CM Codes	C82.90 Follicular lymphoma, unspecified, unspecified site C82.99 Follicular lymphoma, unspecified, extranodal and solid organ sites				
	** There are more specific code choice selections available in ICD-10-CM. These include:				
	C82.00 C82.09	 2.00 Follicular lymphoma grade I, unspecified site 2.09 Follicular lymphoma grade I, extranodal and solid organ sites 			
	C82.10 C82.19	,			
	C82.20	9.0 Follicular lymphoma grade III, unspecified, unspecified site			
	C82.29	82.29 Follicular lymphoma grade III, unspecified, extranodal and solid organ sites			
	C82.30 Follicular lymphoma grade Illa, unspecified site C82.39 Follicular lymphoma grade Illa, extranodal and solid organ sites				
	C82.40 Follicular lymphoma grade IIIb, unspecified site Follicular lymphoma grade IIIb, extranodal and solid organ sites				
	C82.60 Cutaneous follicle center lymphoma, unspecified site C82.69 Cutaneous follicle center lymphoma, extranodal and solid organ sites				
	C82.80 C82.89				ma, unspecified site ma, extranodal and
203.01	Multiple	myeloma, in remiss	sion	C90.01	Multiple myeloma in remission
273.3	Macrogle	obulinemia		C88.0	Waldenström mac- roglobulinemia







ICD-9-CM (icode ICD-	ICD-10-CM Code(s)		
145.8	Malignant neoplasm of other specified parts of mouth			
ICD-10-CM Codes	C06.89 Malignant neoplasm of overlapping sites of other parts of mouth * Use additional code to identify: • alcohol abuse and dependence (F10) • history of tobacco use (Z87.891) • tobacco dependence (F17) • tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: C06.80 Malignant neoplasm of overlapping sites of unspecified parts of mouth			
205.10	without mention of having		Chronic myeloid leukemia, BCR/ABL- positive, not having achieved remission	
283.0	Autoimmune hemolytic anemias			
ICD-10-CM Codes	D59.0 Drug-induced autoimmune hemolytic anemia D59.1 Other autoimmune hemolytic anemias * Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)			

ICD-9-CM C	ode ICD-10-CM Code(s)		
200.70	Large cell lymphoma, unspecified site, extranodal and solid organ sites		
ICD-10-CM Codes	C83.39 Diffuse large B-cell lymphoma, extranodal and solid organ sites C85.20 Mediastinal (thymic) large B-cell lymphoma, unspecified site C85.29 Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites		
202.10	Mycosis fungoides, unspecified site, extranodal and solid organ sites		
ICD-10-CM Codes	C84.00 Mycosis fungoides, unspecified site C84.09 Mycosis fungoides, extranodal and solid organ sites		
161.9	Malignant neoplasm of larynx, unspecified		
ICD-10-CM Codes	C32.9 Malignant neoplasm of larynx, unspecified * Use additional code to identify: • alcohol abuse and dependence (F10) • exposure to environmental tobacco smoke (Z77.22) • exposure to tobacco smoke in the perinatal period (P96.81) • history of tobacco use (Z87.891) • occupational exposure to environmental tobacco smoke (Z57.31) • tobacco dependence (F17) • tobacco use (Z72.0)		

Fast Forward

